

GENERAL

Concept and build	Deep Water Yachts B.V.
Design	WND B.V.
Classification	CE-A
Hull material	Aluminium
Hull type	Round bilge with one chine full displacement with wave/ice piercer
Hull finish	No finish on hull superstructure 3M Film Wrap

DIMENSIONS

Length over all	1.460cm
Beam	430cm
Draught	110cm under propellers 75cm under hull
Air draught	560cm lowered mast 400cm lowered railing on fly bridge 340cm
Displacement	Approx. 16.5 metric tons empty 20 metric tons loaded

PROPULSION

Engines	Twin Volvo Penta D4-230 230hp@3.200 rpm
Drive train	2x ø45mm drive shafts NiAlBr high skew 4 blade propellers 24" AxiSeal® mechanical shaft seal AquadriveCVB30 thrust bearing,
Fuel Filters	2x Double Separ water separating filters
Bow Thruster	Sleipner SEP150 215T Proportional

PERFORMANCE

Cruising speed	9-10 knots (16km/h)
Maximum speed	>18 knots (>30km/h) trim/interceptors required
Range	>1250Nm@cruising speed 10kts >1500@eco speed 7-8kts

TANK CAPACITY

Diesel	2.600 l
Water	1.000 l
Black water	1x 125 l in bow 1x 285 l aft

ELECTRICAL SYSTEMS

Charger/Inverter	Mastervolt Mass Combi Ultra 24/3500-100 (230 V) Charger/Inverter
Shore power	Mastervolt Mass GI 3.5 Isolation transformer
Heating & hot water	Diesel Marine heating with radiators or similar
Interior lights	LED lighting system
Service battery capacity	4x 12V 200Ah gel batteries (400Ah @ 24V)
Start batteries engines	2x 12V 55Ah
Start battery generator	1x 12V 55Ah

MISCELLANEOUS

Deck	Maintenance free and anti-skid
Fender	Synthetic fender on deck line
Insulation	Spray-on glass wool insulation. Sound damping in engine room.
Anchor	Rocna 33 kg galvanized + 50 meter chain 10mm G70 DIN 766A + chainstop
Mast	Electrical actuator for lowering
Windows & door	Double glass with cold bridge (no condensation)
Hatches	Goïot Cristal Medium profile and a one-piece Aluminium casting lid
Oven and microwave	Siemens or similar
Cooking hob	Induction 3 hobs with pan holders
Exhaust hood	Siemens or similar
Refrigerator	120 l + freezer compartment or similar
Entertainment	43" smart TV in lounge cabled to router for streaming
Fire extinguisher	Dry Aerosol Extinguisher FP-1200S

NAVIGATION & COMMUNICATION

Chart Plotter	Simrad NS0 evo3
Autopilot	Simrad autopilot controller with remote handset, rudder feedback and drive unit
Monitors	2x Simrad M016-T Monitor
AIS	Simrad NAIS-400 class-B
Radar	Simrad Halo20+ Radar
VHF	Simrad VHF with AIS
Steering	Simrad FU80
Wifi router	4G Router 24VDC with double sim
Cameras	Rear view and engine room

INTERIOR

Master bedroom with head and shower
Guest bedroom with head and shower
Pilot house, lounge, galley
Bulkhead finish in HPL
Engine room over full breadth

KORVET14CompactLongRange

With features as listed in specifications

Call for price

OPTIONS	
Extra hybrid hydraulic/electrical steering	€3.450
Stabilization and Trim	
▪ Humphree Interceptors	€7.444
▪ DMS 140/1000 double Rotor system stabilizing (€51,800)	€52,800
Generator Kohler 7kW	€16.800
Stern thruster, Sleipner SEP100 185T Proportional	€7.556
Air conditioning system with reversed cycle heating 50.000 BTU	€28.500
Czone Control & Monitoring networked digital switch system	€22.850
Inboard security camera with remote monitoring	€4.600
Deck covered with synthetic teak	€29.680
Washer/dryer combination	€ 3.951
Dishwasher, 6 covers	€1.850
Shades on side windows in pilot house and salon	€7.250
CCTV IP camera system in mast for remote monitoring	€ 4.800
Fuel polisher Parker Racor	€3.400

TERMS

- Prices are subject to 21% VAT
- No VAT applies for export outside the EU
- VAT within EU can be Reverse charge
- Prices FOB Rotterdam
- Quotation valid till 31 March 2023
- Subject to change to reflect latest price adjustments

CONTACT & INFORMATION

Deep Water Yachts B.V.

Louis Couperusplein 23, 2514 HP Den Haag, The Netherlands

T +31 70 4275049 | M +31 6 22978803 | info@deepwateryachts.com

KvK/Chamber of Commerce 566037/46 | BTW / VAT N84495194B01